



# Elegant intercom solutions.

### Residential IP Intercom System with WiFi Connectivity

The VIP Vision Residential IP Video Intercom features wireless connectivity making it one of the easiest systems to install. Experience a multitude of modern intercom features, all using your existing network or WiFi infrastructure.

- 1.0 megapixel door station camera with night-vision
- IP based for easy installation and expandability
- Interfaces with electronic door strikes and sensors
- Intuitive single-button interface for ease of use
- Monitor in elegant black or white gloss finish
- Slim profile 7" touchscreen indoor intercom monitor
- Receive door bell notifications, remote view, remote
- Unlock and two-way talk via iOS & Android devices



Install your WiFi intercom system simply by connecting to power

Connect your WiFi intercom to your network and the Internet

Live view, snap images, answer visitors and even unlock doors from anywhere

	Model	INTIPRDSDB	INTIPRDSVW	
General	Product Image	WiFi		
	Main Processor	Embedded Microprocessor	Embedded Microprocessor	
	Operating System	Embedded Linux	Embedded Linux	
	Backlit Interface	Yes	N/A	
	Card Support	Yes: Built-in NFC Card Reader	N/A	
	Tamper Detection	Yes	Yes	
	Image Sensor	1.0 Megapixel CMOS	1.0 Megapixel CMOS	
	Video Compression	H.264	H.264	
<u>~</u>	Audio Input	Omni-directional Microphone	Omni-directional Microphone	
Camera	Audio Output	Embedded Loudspeaker	Embedded Loudspeaker	
Ğ	Bidirectional Talk	Support	Support	
	Internal Capacity	MicroSD port max 64GB	128MB	
	Ethernet	10M/100Mbps Self-adaptive	10M/100Mbps Self-adaptive	
	Network Protocol	TCP/IP	TCP/IP	
Environmental	Vandal Resistant	N/A	IK07	
	Ingress Protection	IP65	IP54	
	Installation	Surface of Flush Mounting Kit	Mounting Kit	
	Power Input	12VDC / PoE (802.3af)	12VDC	
	Power Consumption	Standby < 1W / Operation < 10W	Standby < 1W / Operation < 10W	
ш	Dimensions	135 x 70 x 34mm	130 x 140 x 32mm	
	Weight	0.40kg	0.80kg	
Accessories	Product Diagram		29m 13m 13m 13m 13m 13m 13m 13m 13m 13m 13	
Acc	Compatible Brackets		INTIPRDSVW-RS: Surface mount shield INTIPRDSVW-FMA: Flush mount box	

	Model	INTIPMONDB / INTIPMONDW	
General	Product Image	WiFi	
	Main Processor	Embedded Microprocessor	
	Operating System	Embedded Linux	
	Video Compression	H.264	
	Audio Input	Omni-directional Microphone	
	Audio Output	Embedded Loudspeaker	
	Bidirectional Talk	Support	
ē	Display Size	7" Colour TFT LCD	
Aonitor	Display Resolution	1024 x 600	
Σ	Alarm Support	Support 6 Input / 1 Output	
	Operational Input	Capacitive Touchscreen / On-unit Soft Keys	
	Internal Capacity	MicroSD port max 32GB	
	Ethernet	10M/100Mbps Self-adaptive	
	Network Protocol	TCP/IP	
_	Operating Temperature	-10 ~ +55°C / 10 ~ 90%RH (max.)	
auta	Installation	Wall Mounting Kit	
Ĕ	Power Input	12VDC / PoE (802.3af)	
Environmental	Power Consumption	Standby < 1W / Operation < 7W	
á	Dimensions	215 x 140 x 21mm	
	Weight	0.80kg	
	Product Diagram	215.00 mm 11.00mm	
Order	Product Variants by Model	INTIPMONDB: Black INTIPMONDW: White	



### The VIP Vision™ IP Intercom Kit with WiFi

### **INTIPRKITD Series Includes:**

- 1 x Residential door station with 1.0 megapixel camera
- 1 x Residential intercom monitor with 7"TFT LCD display
- 1 x 30m CAT5 cable to connect door station and monitor
- Power supplies for the door station and monitor



### Residential IP Intercom System Map with WiFi

### **System Map**

Easily install the VIP Vision IP Intercom System using the existing IP or WiFi network.

The system can integrate IP cameras, up to 5 indoor intercom monitors and up to 20 door stations.



#### INTIPMONPOE


Inline Power over Ethernet switch that facilitates network and power for up to six IP intercom monitors. Simplify the expansion of intercom systems, save time and create professional installations.




VSPOE-SW

Power over Ethernet switch comprises 10/100Mbps PoE switch in an 8 port configuration.

This two-layer industrial POE switch provides high-speed data forwarding and is widely used in networking and wireless systems, surveillance, IP telephony and more.





## System Map (door station only)

The intuative door station can also be used without an intercom monitor by using a smart phone or tablet instead via the app.

