



## 3G/WiFi In-Vehicle Surveillance & GPS Tracking System

### Quick Start Guide

**Thank you for purchasing a Securview Vehicle Surveillance & Tracking System**  
 This Quick Start Guide covers basic setup, installation and use of your surveillance system.  
 For more information, please visit: [www.securviewcctv.com](http://www.securviewcctv.com)

#### Included Components



Surveillance/GPS system & mounting cradle + Screwdriver



External backup battery



Power wiring harness



SOS alarm button




12V 40A relay & relay cable



2 x 3M adhesive mount

# 1. Overview & Installation

## 1.1 System Diagram



## 1.2 Technical Specifications


Model		MDVR-J200
Camera	Camera Style	Mobile Dual Lens Camera, infrared driver facing lens
	Resolution	<b>Road facing:</b> 1080p (1920 x 1080) / <b>Driver facing:</b> (640 x 352)
	Angle of View	<b>Front:</b> 140° (adjustable) / <b>Rear:</b> 90°
	Focus	Fixed
	Frame Rate	30fps
Features	CPU	ARM Cortex A7 Quad Core 1.2GHz
	Band	<b>GSM</b> 850/900/1800/1900 <b>WCDMA</b> 850/900/1900/2100
	G-Sensor	9 axis-motion
	Live View	In-car / front car live video via app or web
	Audio	Built-in speaker & microphone
	WiFi	Frequency 2.4GHz, hot spot
	Bluetooth	BT4.0 only connect to Android system
	Micro SD storage	Max 32GB
	Battery	External 450mAh
	Audio	Built-in microphone / Built-in speaker
Interface	OBD Interface	Connect by power cable
	USB Data Interface	Micro USB 5 Pin
	Housing	Plastic
	Power Input	12 - 24VDC
	Dimensions	109 x 69 x 52mm
	Weight	0.23kg
	Operating Environment	-20° to 75°C / RH95% (max)

## 1.3 Installation

### 1.3.1 Wiring

Connect the power cable B+ and GND to the vehicle battery's positive pole +12V and negative pole. ACC is connected with the vehicle ignition signal. The device should power on automatically after the vehicle engine is started.  
(Refer to **1.4 Wiring Diagram** for details on wiring)

### 1.3.2 Wiring Diagram



### 1.3.3 Micro SD and SIM Card

**While the system is off**, insert the Micro SD card into T.FLASH slot and an active SIM card into the SIM slot (both located on one side of the camera).

After inserting both cards, screw on the card cover with the provided screw & screwdriver.




### 1.3.4 Status Indicator Lights

Power Indicator - RED		
● ●	Solid red	ACC ON & Power on
● ●	0.1s ON & 10s OFF	ACC OFF
● ●	Off	Power not connected
GPS Indicator - GREEN		
● ●	Solid green	ACC ON & Positioning successful
● ●	0.1s ON & 10s OFF	Searching for GPS signal
● ●	Off	ACC OFF
GSM Indicator - BLUE		
● ●	Solid blue	ACC ON & Connected
● ●	0.1s ON & 10s OFF	ACC ON & No network/SIM card
● ●	Off	ACC OFF

## 2. Operation

### 2.1 Automatic & Event Recording



#### 2.1.1 Automatic Recording

ACC ON - The system will power on and record automatically.

ACC OFF - The system is in sleep mode and will not record.

Recordings will be saved onto the micro SD card every 3 minutes, under the directories:

**DVRMEDIA/CarRecorder/GENERAL** (road camera)

**DVRMEDIA/CarRecorder/USB** (driver camera)

**NOTE:** When the Micro SD card is full, old footage on the card will be overwritten.



#### 2.1.2 Event Recording

If a strong vibration is detected (from a crash, for example), an additional 15s will be recorded and then stored in a separate location under

**DVRMEDIA/CarRecorder/EVENT**

The EVENT folder stores 1GB of footage. Old recordings in EVENT will be overwritten when the folder is full.

### 2.2 System Usage

#### 2.2.1 SIM Card Usage

This system is intended for use with a SIM card, but can still function as a mobile video recorder without one. Refer below to see what the system can do with and without a SIM card:

##### **SIM Required**

- Remote Live View
- Remote GPS Tracking
- Remote Picture/Video Capture
- Push Notifications (Geo-fence, vibration alert, etc.)

##### **SIM Not Required**

- Automatic Recording
- GPS History Logging
- Event History
- Media Synchronisation

#### 2.2.2 App & Web Usage

The system can be accessed, monitored and configured via both mobile app and web browser. The same account can be used for both

(Refer to **3. Configuration** for more information)

## 3. Configuration

### 3.1 App & Website Introduction

Your vehicle monitoring system can be accessed, monitored and configured via mobile app and web browser.

Switch between cameras on your account on the phone, or view multiple through the website - this is car-matrix.com

#### 3.1.1 App Intro

The vehicle tracking app is **CarMatrix**, available to download free for any iOS/Android-based device.

This app allows for portable vehicle management, letting you perform a variety of functions such as:

- Real-time GPS vehicle tracking & location reporting
- Real-time push notifications for overspeed, vibration, geo-fence etc.
- Geo-fencing - alerts when the vehicle enters/leaves a designated zone
- Route playback for vehicle history
- Remote live view, playback, image snapshot & video snapshot
- Media synchronisation for easy file transfers from recorder




#### 3.1.2 Website Intro

Your vehicle can also be tracked from **www.car-matrix.com**. This website is a convenient management platform can track the location & history of multiple vehicles at once.

This site mostly performs the same functions as the app, and additionally:

- Simultaneous tracking of multiple vehicles
- Fleet management and fuel consumption tracking
- Vehicle location sharing



**NOTE:** All data is stored on the CarMatrix server.

### 3.2 Account Registration

#### 3.2.1 Account Creation

1. Press **Sign Up** on the front page of either the app or website.
2. Enter your email address and press **Next** to send a verification code to your email address.
3. Enter the verification code into the app/website and press **Next** again to finish creating your account.

**NOTE:** The same account is used for both the app and the website.

#### 3.2.2 Change Password

- (App) Open the main menu and press the **user icon** next to your email address.
- (App) Press **Change Password**.
- (Web) Hover over **Settings** on the top right of the screen and click **Change Password**.
- Enter the current password, then enter your new password twice and press **Save**.



## 3.3 Binding Your Device to an Account

**NOTE:** After account registration, you will be automatically prompted to bind a device.


### 3.3.1 Binding Your Device

1. Open the main menu and press **Device List**.
2. Either **scan the QR code** or **enter the IMEI** of your device. Both of these can be found on the front of the camera.
3. Enter the number plate of the vehicle and a reference name for the device and press **Next**.

### 3.3.2 Unbinding Your Device

1. Open the main menu and press **Device List**.
2. Press the device you want to unbind, then press **Unbind**.
3. Press **OK** to confirm.


**NOTE:** MDVR-J200 cameras **can only be bound to one account at a time**.




Device List

### 3.3.3 Device Settings

1. Open the main menu and press **Device List**.
2. Press the device you want to unbind, then press **Settings**.
3. From here, you can edit the Overspeed Alert, Driving Behaviour, Vibration Alert, LED and Voice settings of your device.



Settings menu



Overspeed Alert settings




Driving Behaviour settings




Vibration alert settings

## 3.4 Position, Track History & Live Tracking



GPS satellite view (App)




Path playback (App)

### 3.4.1 Positioning

1. Open the main menu and press **Positioning**.
2. This will display a live GPS display of your current vehicle location(s).
3. To view further details about a vehicle (including engine status, last time the vehicle was moved, IMEI and more), press the speech bubble above the car icon.


### 3.4.2 Track History & Path Playback

1. On the Positioning screen, press **Trips** at the bottom left.
2. This will open a list of previous trips the vehicle took, including start/end times and locations, as well as total distance travelled.
3. Press any of these trips for a detailed GPS map displaying the full route the vehicle took.
4. Use the slider at the top to skip to different parts of the playback. Map/satellite view and playback speed can be toggled with the buttons at the top right.




GPS tracking (Web)

## 3.5 Configuring Geo-fences



Creating a geo-fence (App)



Geo-fence alert (App)


### 3.5.1 Geo-fence Intro

Geo-fences are GPS zones you can designate on a map. When your vehicle enters and/or exits the geo-fence, you can set the device to send a notification alert to your account.

### 3.5.2 Creating a Geo-fence

1. Open the main menu and press **Geo Fence**.
2. A list will appear showing all created geo-fences. Press **+** to make a new one.
3. A GPS map will appear. Navigate & place the geo-fence, then adjust its size using the slider.
4. After setting the geo-fence zone, press **[Edit]** to enter a name for the geo-fence.
5. Press **Add Device** and select the vehicle(s) you want the geo-fence to apply to.
6. Select one or both of the **Alert settings (Enter/Exit)**. to receive notifications on vehicle geo-fence enter/exit.
7. Press **Save** to confirm. You can edit the geo-fence from this menu at any time.

**NOTE:** Using the app, you can only create circular geo-fences. More precise geo-fences with individually drawn lines can be created from the website.




Creating a geo-fence (Web)




## 3.6 Camera Remote Access

### 3.6.1 Real-time Video Overview

1. Open the main menu and press **Remote Video**.
2. Press the **left camera icon** at the top right to enter start live viewing the camera in real time. This may take a few seconds to load, depending on your mobile network.
3. From here, several actions and options are available:
  - **Switch camera:** Press the camera icon at the top right (overlayed onto the video) to switch between the road and driver cameras.
  - **Playback:** Press the video screen to bring up a time bar. Scroll through to play recorded footage.
  - **Mute:** Mute/unmute the camera's microphone.
  - **Screenshot:** Saves a snapshot from the current camera display.
  - **Two-way talk:** Hold to talk through the camera with your phone.
  - **Record:** Record a clip from the camera display.
  - **Full screen:** Toggle portrait/landscape display modes.




*Two-way talk*




*Playback time bar*

### 3.6.2 Remote Picture

1. Open the main menu and press **Remote Picture**.
2. In this menu, you can look through all snapshots taken from the camera. Click any of them to display them full-screen.
3. To save a snapshot to the camera, open an image and press **Save to album**.
4. To take a new snapshot, press the **camera icon** at the top right.
5. To share an image, press **Share** at the bottom right, then select the snapshot(s) to share and press **OK**.




*Remote Picture menu*




*Taking a new picture*

### 3.6.3 Remote Video

1. Open the main menu and press **Remote Video**.
2. In this menu, you can look through all video recordings taken from the camera. Click any of them to download, then click again to play.
3. To save a new recording, press the **right camera icon** at the top right. Select the **Internal or External Camera** to record and a length of time, then press **OK**.
4. To share an image, press **Share** at the bottom right, then select the videos) to share and press **OK**.



*Remote Video menu*




*Capturing a video clip*

## 3.7 Media Center & Backup

### 3.7.1 Local Media Library


1. Open the main menu and press **Media Center**.
2. Press **Local Media Library**.
3. In this menu, you can view, share or delete any saved snapshots & videos.



Local Media Library

### 3.7.2 Backup via Media Sync

1. Connect the mobile to the camera's WiFi hotspot network. To connect, the camera must be powered on with the mobile nearby. Ensure that the blue GSM indicator on the camera is solid blue (not flashing).
2. Open the main menu and press **Media Center**.
3. Press **Media Sync**.
4. Select either **Photo** or **Video** to sync records of that type from the camera to the mobile.



Media Sync


**NOTE:** The username of the hot spot is the IMEI.  
The password is the last 8 digits of the IMEI.  
These can both be found on the camera.

### 3.7.3 Backup via Micro SD

Remove the Micro SD card from the camera. Insert the card into another device to directly copy saved records from it.

### 3.7.4 Backup via USB to Micro USB

Connect the micro USB port on the camera to the USB port of another device via a USB to micro USB cable. You can then move and copy records saved on the camera's Micro SD card via the device.



## 3.8 Notifications


### 3.8.1 Notification History

1. Open the main menu and press **Notifications**.
2. This menu will display a complete history of the device's notifications, including details on the time, date and type of notification. Scrolling to the bottom of the page will load older notifications.


### 3.8.2 Notification Events

The camera can alert the account of a wide list of events, which can be toggled on/off from the app and website.

- Collision / crash alert
- Vibration alert
- Enter / exit geo-fence alert
- Driver behaviour alert
- Engine on/off alert
- Overspeed alert
- Night driving alert
- GPS blind zone alert
- SOS alert
- Low battery alert
- Power off alert
- Disassembly alert



Setting notification alerts (App)



Setting notification alerts (Web)


## 3.9 Settings

### 3.9.1 Settings overview


1. Open the main menu and press **Setting**.
2. On the main settings screen, you can toggle notification events (as shown in 3.8.2 Notification Events). Further options are available from here:
  - **Command:** Remotely edit a variety of settings for the camera. More detail below.
  - **Clean Cache:** Deletes temporary data, clearing up file space.
  - **Help:** Briefly explains various app functions and how to perform them.
  - **About:** Check for app updates and look at the Privacy Policy.

### 3.9.2 Settings -> Command


1. From the **Setting** screen, press **Command**.
2. From here, the following settings can be adjusted:
  - **Volume Setting:** Adjust the camera's volume settings.
  - **Sudden Acceleration Alarm, Sudden Deceleration Alarm & Sharp Turn Alarm:** Toggle on/off, set whether to upload video upon event and adjust sensitivity.
  - **Fuel/Power Remote Control:** Query current fuel levels and remotely cut off/restore the engine. The camera must be wired to the fuel pump for this to function.
  - **SOS number:** Enter up to 3 mobile numbers to contact when the SOS button is pressed. Requires the SOS button to be set up to function.
  - **User-defined:** Send custom commands (refer to full manual).




Main settings screen




Volume Setting




Sudden Acceleration Alarm




Sudden Deceleration Alarm



Sharp Turn Alarm



Fuel/Power Remote Control



SOS Number



For more information, please visit:

[www.securviewcctv.com](http://www.securviewcctv.com)



**Quick Start Guide:  
MDVR-J200 (Vehicle monitoring system)**

Version: 130818